EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2862	fetch$4 near5 (concurrent or parallel or simultaneous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L2	1063	(instruction adj word) near10 parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L3	6360	"very long instruction word" or vliw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L4	4368	711/100,202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L5	22536	address adj (translation or modification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L6	27667	offset near8 (instruction or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L7	376	712/24.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21

L8	39	L3 and L1 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L9	1220	712/24,215,212,206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L10	18175	g06f9/26.ipc. or g06f9/28.ipc. or g06f9/34.ipc. or g06f9/38. ipc. or g06f12/00.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L11	22607	L4 or L9 or L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L12	2	"6026479".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L13	2	"6944748".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L14	2	"7024538".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L15	37	L3 and (L6 same L5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L16	2	"5163139".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21

L17	30	L5 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L18	3	L7 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L19	42	(US-20040260734-$ or US-20050134437-$ or US-20050273569-$ or US-20010014939-$ or US-20010014940-$ or US-20010016900-$ or US-20040039939-$ or US-20050273561-$ or US-20070016629-$).did. or (US-5388239-$ or US-4459661-$ or US-5394515-$ or US-5835776-$ or US-7089270-$ or US-5892936-$ or US-5933618-$ or US-3848234-$ or US-3962706-$ or US-4300193-$ or US-4722050-$ or US-5129078-$ or US-5170475-$ or US-5557734-$ or US-5631668-$ or US-5631671-$ or US-5655133-$ or US-5657045-$ or US-5734913-$ or US-5764946-$ or US-5774737-$ or US-5784630-$ or US-5805852-$ or US-5825677-$ or US-5884069-$ or US-6067601-$). did. or (US-6081880-$ or US-6085302-$ or US-6112299-$ or US-6205580-$ or US-6223208-$ or US-6247064-$ or US-6519695-$ or US-6598118-$ or US-6636950-$ or US-6718504-$ or US-6775414-$ or US-7165166-$ or US-4161026-$ or US-5301302-$ or US-6163836-$). did.	US-PGPUB; USPAT	OR	ON	2009/09/22 09:21
L20	10	L19 and (L3 or L7)	US-PGPUB; USPAT	OR	ON	2009/09/22 09:21

L21	55	L5 near10 (loop or iteration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L22	8	L11 and L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L23	29010	(loop or iteration) near5 (concurrent or parallel or simultaneous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L24	13	L23 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L25	70	(L23 and L11) not L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L26	15	L3 and L25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L27	13	without adj unroll$4 near3 loop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L28	4111	instruction near5 (address near3 (translat$4 or modif $7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L29	158233	(specific or particular) near5 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21

L30	106	L29 same L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L31	121121	(process$4 or thread) near5 (loop or iteration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L32	11405	L31 same (parallel or simultaneous$3 or concurrent $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L33	6360	"very long instruction word" or vliw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L34	226	L32 and L33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L35	7	L3 and L30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L36	9	(L30 and L11) not L35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L37	27	power near3 sav$4 near10 memory same (address adj range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L38	3	power near3 sav$4 near10 memory same (address near5 (range)) not L37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21

L39	783	((multi or dual) adj processor) and processor near5 loop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L40	828	((multi or dual) adj processor) and processor near5 (loop or iteration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L41	29891	(loop or iteration) near5 (concurrent$3 or parallel or simultaneous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L42	42	((multi or dual) adj processor) and ((one or other or first or second) adj processor near5 loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L43	18175	g06f9/26.ipc. or g06f9/28.ipc. or g06f9/34.ipc. or g06f9/38. ipc. or g06f12/00.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L44	4111	instruction near5 (address near3 (translat$4 or modif $7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L45	1220	712/24,215,212,206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L46	146	L41 and L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L47	828	((multi or dual) adj processor) and processor near5 (loop or iteration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21

L48	3082	((multi or dual) adj processor) and (process$4 or thread) near5 (loop or iteration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L49	4368	711/100,202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L50	158233	(specific or particular) near5 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L51	22607	L49 or L45 or L43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L52	38	L51 and L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L53	29891	(loop or iteration) near5 (concurrent$3 or parallel or simultaneous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L54	146	L53 and L47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L55	7	L51 and L54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L56	106	L50 same L44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21

L57	10	L56 and L51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L58	0	llopis-rafael-peset.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L59	134	(virtual with address$3 with translat$4 with identical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L60	31	(virtual with address$3 with translat$4 with identical with different)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L61	2	"5875483".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L62	0	peters-harm-johannes.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L63	27	srinivasan-balakrishnan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L64	46	sethuraman-ramanathan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L65	0	Pinto-carlos-alba.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21

L66	13	L3 and (L64 or L63)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L67	17670	offset with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L68	637	L67 and L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L69	115	L33 and L68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L70	2	(L5 same L67) and L11 and L33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L71	1273	(offset with register) with (modify or change or updat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L72	15	L71 and L11 and L33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L73	120	(((functional or execution) adj unit)) with (offset with (register or reg))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L74	27	L11 and L73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21

L75	7672	(functional or execut$3 or alu) with ((offset or pointer or index) near3 (stor$3 or register or latch or buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L76	470	L75 and L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L77	4007	712/205-207.ccls. or 712/214-215.ccls. or 711/200.ccls. or 711/219-220.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L78	379	L77 and L75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L79	692	L76 or L78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L80	1427	(reuse or recycle) with (instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L81	22	L79 and L80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L82	88	L80 same loop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21
L83	25216	L11 or L77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/22 09:21

| L84 | 15 | L82 and L83 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/09/22 09:21 |
| L89 | 8474 | I4 or I9 or I77 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/09/22 12:03 |

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L87	58	(instruction with parallel).clm. and memory.clm. and (address with (translat$4 or modif$3 or modification)).clm.	USPAT; UPAD	OR	ON	2009/09/22 11:57
L91	6497	711/100,202.ccls. or 712/24,215,212,206.ccls. or 712/205-207.ccls. or 712/214-215.ccls. or 711/200.ccls. or 711/219-220.ccls.	USPAT; UPAD	OR	ON	2009/09/22 12:04
L92	15	I87 and I91	USPAT; UPAD	OR	ON	2009/09/22 12:04
L94	883	((functional or execut$3 or alu) with ((offset or pointer or index) near3 (stor$3 or register or latch or buffer))).clm.	USPAT; UPAD	OR	ON	2009/09/22 12:18
L95	2	I87 and I94	USPAT; UPAD	OR	ON	2009/09/22 12:19
L96	0	(instruction adj address adj modification adj circuit).clm.	USPAT; UPAD	OR	ON	2009/09/22 12:27
L97	124	((reuse or re-use or recycle) with (instruction)).clm.	USPAT; UPAD	OR	ON	2009/09/22 13:18
L98	0	I97 and I87	USPAT; UPAD	OR	ON	2009/09/22 13:19
L99	7	I91 and I97	USPAT; UPAD	OR	ON	2009/09/22 13:19

9/22/2009 1:49:56 PM
C:\Documents and Settings\aotto\My Documents\EAST\Workspaces\10530375.wsp